

MOBILE AIR COMPRESSOR



Manufacturer – Atlas Copco


Model – XAS88 KD

Specifications

- The compressors type XAHS 38 - XAS 88 are silenced, single-stage, oil-injected screw compressors, built for a nominal effective working pressure of 7 bar (101.5 psi) to 12 bar (174 psi)
- The 8 Series compressor range is the result of over a decade of continuous development. For the first time, it's possible to transport behind a normal passenger car, with no special driving license, a compressor that can produce up to 5 m³/min of air, with a full size fuel tank, aftercooler and generator all incorporated into a compact and lightweight package.
- The compressor is equipped with a PE canopy. PE is very robust, can't corrode and will keep its shape and colour during the full lifetime of the machine. It is fully recyclable to keep the environmental impact as low as possible. Its low weight (below 750 kg) makes it possible to tow it with a standard European driver's license. The canopy has openings at the shaped front and rear end for the intake and outlet of cooling air. The canopy is internally lined with sound-absorbing material.
- Engine, The Compressor is driven by a liquid-cooled diesel engine
- Lifting Eye – A lifting eye is accessible through a rubber flap covered hole at the top of the unit.
- Services are carried out every 250 Hours or 6 Months, which ever interval comes first
- Daily check sheet report is supplied with the machine

This spec sheet is provided for information only and is subject to change.

9822 0110 00 - Support mounted



This spec sheet is provided for information only and is subject to change.

8 standard features

